

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	30	714/8.ccls. and @pd>"20070206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/04 10:31
L7	5	714/53.ccls. and @pd>"20061010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/04 10:38
L8	58	714/42.ccls. and @pd>"20070206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/04 10:44
L9	30	714/7.ccls. and @pd>"20070213"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/04 10:52
L10	8	714/5.ccls. and (system adj software) and @pd>"20070111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/04 10:55
L11	6	714/48.ccls. and bios and @pd>"20070206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/04 10:56
L12	3	714/5.ccls. and bios and @pd>"20070111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/04 10:57
L13	35	714/36.ccls. and @pd>"20070213"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/04 10:59
L14	55	(memory with (failure failures fault faults fail fails)) and (system adj software adj components)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/04 11:23

## EAST Search History

L15	11	(relocat\$3) with ((system adj software) (system adj software adj components) (system adj software adj component))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/04 12:16
S65	676	714/42.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/14 15:15
S66	925	714/5.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 17:38
S69	10	((("5638532") or ("6343338") or ("20020169979") or ("20020169951") or ("20030093579")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 08:27
S75	1	10/748502	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 11:08
S76	124	714/53.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 10:15
S77	2	(system adj software adj memory) with fault\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 11:09
S78	178	(system adj software adj memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 11:09
S80	15	("5218680"   "5325499"   "5327497"   "5559992"   "5651137"   "5815702").PN. OR ("6240531").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 13:44
S81	424	714/8.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 22:53

## EAST Search History

S82	949	714/48.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 18:16
S83	237	714/36.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 12:36
S84	16	("20020184557"   "20030093711"   "20030126497"   "5245615"   "5758056"   "5974564"   "6012127"   "6026472"   "6105053"   "6289424"   "6326973"   "6351822"   "6408401"   "6463550"   "6467048"   "6615375").PN. OR ("7043666").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 14:35
S85	639	714/7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 10:19
S86	18	(efi) with fault\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 17:33
S87	0	(extensible adj firmware adj interface) with fault\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 17:33
S88	62	714/5.ccls. and bios	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 12:40
S89	5	bios with (faulty adj memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 18:11
S90	0	bios with (bad adj bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 18:12

## EAST Search History

S91	0	bios with (faulty adj location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 18:15
S92	0	bios with (faulty adj (row column))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 18:13
S93	10	bios and (bad adj bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 18:12
S94	3	bios and (faulty adj (row column))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 18:13
S95	5	bios and (faulty adj memory adj location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 18:15
S96	89	714/48.ccls. and bios	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 12:42
S97	71	714/5.ccls. and (system adj software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/15 09:01
S98	17	714/42.ccls. and @pd>"20060606"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 17:01
S99	2	714/53.ccls. and @pd>"20060509"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 17:20
S100	8	714/8.ccls. and @pd>"20060606"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 17:20

## EAST Search History

S10 1	14	714/7.ccls. and @pd>"20060608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/13 10:57
S10 9	10	714/36.ccls. and @pd>"20060525"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/15 08:48
S11 0	5	714/5.ccls. and bios and @pd>"20060530"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/15 08:56
S11 1	1	714/48.ccls. and bios and @pd>"20060411"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/15 09:00
S11 2	1	(faulty adj portion).clm. and (memory).clm. and (system adj software adj component).clm. and (relocating).clm. and (safe adj portion).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 12:49
S11 3	1	(faulty adj portion).clm. and (memory).clm. and (system adj software adj memory adj region). clm. and (relocating).clm. and (safe adj portion).clm. and (operating adj system adj runtime).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 12:51
S11 4	1	(faulty adj portion).clm. and (memory).clm. and (system adj software adj component).clm. and (relocating).clm. and (safe adj portion).clm. and (operating adj system adj runtime).clm. and (flash adj device).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 12:51
S11 5	25	714/8.ccls. and (system adj software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 23:27
S11 6	25	714/8.ccls. and (bios)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 23:09

## EAST Search History

S11 7	10	714/8.ccls. and (critical adj data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 23:09
S11 8	17	("5919266"   "5928367"   "5978932").PN. OR ("6189111"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/26 23:13
S11 9	1	714/8.ccls. and (system adj software adj components)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 23:28
S12 0	48	(memory with (failure failures fault faults fail fails)) and (system adj software adj components)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/04 11:19
S12 1	197	smram	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 23:43
S12 2	0	smram and (error adj map\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 23:43
S12 3	106	smram and (map\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 23:43
S12 4	34	smram and (relocat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 23:44
S12 5	85	smram and (fault faults fail fails failure failures)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 08:43
S12 7	5	smram with (fail fails fault faults failure failures)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 10:57

## EAST Search History

S12 8	197	smram	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 10:58
S12 9	100	smram and firmware	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 10:59
S13 0	20	smram with firmware	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 11:04
S13 1	9	PE/COFF	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 11:08
S13 2	1273	EFI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 11:09
S13 3	4	EFI with PE/COFF	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 11:08
S13 4	13	(US-20050188278-\$ or US-20030140271-\$ or US-20020010876-\$ or US-20050120265-\$ or US-20030154392-\$).did. or (US-6240531-\$ or US-5862314-\$ or US-5388267-\$ or US-6944792-\$ or US-6446203-\$ or US-6079016-\$ or US-7043666-\$ or US-6189111-\$).did.	US-PGPUB; USPAT	OR	OFF	2006/09/27 11:09
S13 5	1	S134 and efi	US-PGPUB; USPAT	OR	OFF	2006/09/27 11:09
S13 6	27	EFI and smram	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 11:29

## EAST Search History

S13 7	326	EFI with firmware	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 11:11
S13 8	0	(pre-boot) with (memory adj test\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 11:30
S13 9	114	(bios) with (memory adj test\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/27 11:30
S14 0	4	((("5592616") or ("20030177129")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 16:40
S14 1	59	714/42.ccls. and @pd>"20060810"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/04 10:39
S14 2	3	714/53.ccls. and @pd>"20060718"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/04 10:38
S14 3	31	714/8.ccls. and @pd>"20060815"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/04 10:30
S14 4	47	714/7.ccls. and @pd>"20060808"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/04 10:52
S14 5	27	714/36.ccls. and @pd>"20060718"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/04 10:59
S14 6	6	714/5.ccls. and bios and @pd>"20060815"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/04 10:57



## EAST Search History

S14 7	10	714/48.ccls. and bios and @pd>"20060718"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/04 10:56
S14 8	8	714/5.ccls. and (system adj software) and @pd>"20060530"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/04 10:55

Web Images Video News Maps Gmail more ▼

Sign in

Google

"system software component" fault relocate

Search

Advanced Search  
Preferences

New! View and manage your web history

Web

Results 1 - 10 of about 78 for "**system software component**" **fault relocate**. (0.11 seconds)

## Glossary

**Relocate** a server or group of servers from one LMID to another. .... A **system software component** that provides the infrastructure that guarantees the ...  
edocs.bea.com/tuxedo/tux71/glossary/glossary.htm - 232k - [Cached](#) - [Similar pages](#)

## A

Battle Command Decision Support **System (software component of MCS)** ...  
Department of Army **Relocation** Services for Employees ...  
www.monmouth.army.mil/historian/updates/27.htm - 344k - [Cached](#) - [Similar pages](#)

SEC Info - Team Financial Inc/KS, et al. - S-1 - On 7/11/01 - EX-10.5  
**RELOCATION**. If appropriate, Metavante shall **relocate** all affected Services to ....  
**system software component** failures, platform failure, and site disaster. ...  
www.secinfo.com/dsvrp.4FC57.1.htm - 505k - [Cached](#) - [Similar pages](#)

[PDF] - From Black Box Voting Document Archive -

File Format: PDF/Adobe Acrobat  
DESI may **relocate** its help desk, so long as such **relocation** does ..... particular System  
Hardware or **System Software component**. However, the County shall ...  
accurate-voting.org/contracts/CA/Los\_Angeles/CA\_losangeles\_2002\_ei.pdf -  
[Similar pages](#)

[PDF] <Viewpoint> language. (1) <X> federation. (1) <x> interceptor. (1 ...

File Format: PDF/Adobe Acrobat  
Engineering Vocabulary) See also: **relocating** assembler ..... which a system/software  
system or **system/software component** must interface, or that sets forth ...  
comrie.computer.org/sev\_display/Downloader - [Similar pages](#)

## Harvey Nash Executive Job Listing

The willingness and ability to **relocate** to, or commute on a daily basis to, ..... Analyze  
specific system elements such as **system software, component** ...  
www.harveynash.com/rss/HN/rssHN\_usa.xml - 977k - [Cached](#) - [Similar pages](#)

[GZIP] From lannet at lannet.com.au Mon Sep 1 08:17:09 2003 From: lannet ...

File Format: Gzip Archive  
We've been given some incredible offers around the world to **relocate**. ..... sequence for  
the computer or a **system software component** by a normal user. ...  
mailman.anu.edu.au/pipermail/link/2003-September.bt.gz - [Similar pages](#)

[PDF] Implementing ESS Copy Services with IBM eServer zSeries

File Format: PDF/Adobe Acrobat  
is a **fault-tolerant** storage subsystem, which can be maintained and upgraded .....  
DFSMSdfp host **system software component** System Data Mover (SDM). ...  
www.redbooks.ibm.com/redbooks/pdfs/sg245680.pdf - [Similar pages](#)

[PS] System-Oriented Evaluation of I/O Subsystem Performance

File Format: Adobe PostScript - [View as Text](#)  
Examples of time-critical requests include demand page **faults**, ..... corrupt media  
location in one of two ways, slipping or **relocation**. Sector or track ...  
www.ece.cmu.edu/~ganger/papers/CSE-TR-243-95.ps - [Similar pages](#)

[Linux Mail] Sempre conectada com você! - [ [Translate this page](#) ]

Atypical Operating **System. Software Component** Placement. .... 9.6.3 Section Names  
and Types 9.7 **Relocation** and Position Independent Code (PIC) 9.7.1 PIC ...  
www.linuxmail.com.br/index.php?page=categ/11/page\_info&print=1&product\_id=-  
[Similar pages](#)

## Sponsored Links

### Moving software

Like to Save time, Save money?  
Check out DrMover.com and do both!  
DrMover.com

### Move Software

Transfer Data & Settings from PC-PC  
PC Magazine Editors Choice 2 Years!  
www.ca.com

### eMover-Software

Moving and Lead Software On-line  
.Net Technology for Movers  
eMover-Software.com

US-PAT-NO: 6442660

DOCUMENT-IDENTIFIER: US 6442660 B1

TITLE: Dynamic system relocation based on availability of  
system memory

----- KWIC -----

Detailed Description Text - DETX (17):

The method of the invention relocates a ROM version of the system into RAM. The relocation involves copying the code image into RAM, then modifying those locations of this image which are position dependent. Those locations of the operating system which require modification are stored in a relocation table, stored at a well known location in ROM memory. The relocation logic is part of the system software, invoked during the initialization phase of the system startup, and is not part of the boot ROM loader.